

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/439,225	11/12/1999	CARLOS SALDANHA	1162.007US1	1407
21186 7	590 05/31/2005		EXAMINER	
	AN, LUNDBERG, WOI	WANG, JIN CHENG		
P.O. BOX 293	3			
MINNEAPOLIS, MN 55402-0938			ART UNIT	PAPER NUMBER
	•		2672	

DATE MAILED: 05/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summers	09/439,225	SALDANHA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jin-Cheng Wang	2672				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONET	nely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 28 Fe	bruary 2005.					
	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-45</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-45</u> is/are rejected.						
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correcti	on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori	s have been received. s have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	.4) Interview Summary Paper No(s)/Mail Da	(PTO-413) Ite				
3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>2/28/05</u> .		atent Application (PTO-152)				

#### **DETAILED ACTION**

# Response to Amendment

The amendment filed on 2/28/2005 has been entered. Claim 29 has been amended. Claims 1-45 are pending in the application.

# Response to Arguments

Applicant's arguments filed Feb. 28, 2005 have been fully considered but are not found persuasive in view of the ground(s) of rejection set forth in the last Office Action.

As address below, the Claim 1 is unpatentable over Sakaguchi U.S. Patent No. 6,310,627 (hereinafter Sakaguchi).

For example, Sakaguchi teaches displaying a system and method for generating a three-dimensional image representing a stereoscopic shape of a garment when the garment is put on a three-dimensional object such as a person's figure. The system and method comprise generating a 3D image of an object model corresponding to the person's figure; inputting information on the person's figure and a try-on garment; arranging the images of the respective patterns of the garment in corresponding portions of the 3D image of the object model, three-dimensionally deforming the images of the respective patterns by calculating collisional deformations when the respective patterns are pressed against the corresponding portions based on the information on the garment, and generating a stereoscopic image of the garment by connecting the deformed 3D images of the respective patterns based on the information on the garment. Moreover, Sakaguchi teaches rendering the garment animation images on the three-dimensional character images and simulating a deformation in the garment caused by the collision of the human model and the

garment when the human model is moved (column 31, lines 21 to column 33, line 38). The collision and animation of the garment with respect to the human model correspond to the draping and collision of the garment with the mannequin wherein the patterns and deformation parameters affects the draping and collision of the garment with the human model.

Applicant argues that, "a shell should be a separate thing from the mannequin" and "Applicant finds no teaching or suggestion in Sakaguchi or the other prior art of record for the use of such shells." However, according to Merriam-Webster's Online Dictionary, 10th Edition, a shell is interpreted as the outside covering. Therefore, a shell of mannequin includes the outside surface of the mannequin, or the skin of the mannequin, or the covering around the mannequin. The shell of mannequin can be either a part of the surface of the mannequin or a part of the covering surrounding the mannequin. In column 21, lines 35-63, Sakaguchi further discloses the pattern preparing system 40 for generating a plurality of patterns and for deforming the 3D image of the standard figure to generate an individual figure model and for generating a plurality of patterns for the garment fitted on the human model. The triangular patches form the outside surface of the standard figure model and the triangle patches form the outside surface of the individual figure model. The triangular patches define the outside surface to the figure models and therefore the triangular patches for each surface define shells of each figure model (col. 25, lines 1-67; col. 30, lines 24-65).

Clearly, Sakaguchi discloses constraining triangle patches of the garment to reside within or outside of the triangle patches of the garment defined around the mannequin in the rendering frame. Sakaguchi also discloses constraining triangle patches of the garment to reside outside of

the triangle patches of the outside surface of the human model defined around the mannequin in the rendering frame (col. 25, lines 1-67; col. 30, lines 24-65).

Therefore, Sakaguchi at least suggests the claim limitation of "the shell defined around the mannequin" because Sakaguchi discloses the shape of the garment (as broken into triangle patches) as fitted into the shape of the human model (col. 25, lines 1-67; col. 30, lines 24-65) wherein the shape of the human model are defined by the triangle patches which is the shell defined around the mannequin along the outside surface of the mannequin.

Therefore, it would have been obvious to incorporate the shell defined around or within the surface of the mannequin. Doing so would enable a precise definition of the shape and structure of the human model allowing simulation and calculation of the collisional deformations when the respective patterns are <u>pressed</u> against the corresponding portions based on the information on the garment (column 31, lines 21 to column 33, line 38).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakaguchi U.S. Patent No. 6,310,627 (hereinafter Sakaguchi).

Re claims 1 and 38, Sakaguchi teaches a method for producing an image of a

computer-simulated mannequin wearing a garment as defined by selected mannequin and garment parameter values, comprising generating objects corresponding to a representative mannequin and a garment placed in a simulation scene within a three-dimensional modeling environment (e.g., col. 30, lines 57 to col. 33, lines 38), simulating draping and collision of the garment with the mannequin within the simulation scene to generate a three-dimensional rendering frame of the mannequin wearing the garment (e.g., col. 30, lines 57 to col. 33, lines 38), constraining portions of the garment to reside within or outside of particular shells defined around the mannequin in the rendering frame (the shape of the garment as fitted into the shape of the human model; see e.g., col. 25, lines 1-67; col. 30, lines 24-65), and rendering an image from the rendering frame (e.g., col. 31, lines 21-55). In other words, Sakaguchi teaches displaying a system and method for generating a three-dimensional image representing a stereoscopic shape of a garment when the garment is put on a three-dimensional object such as a person's figure. The system and method comprise generating a 3D image of an object model corresponding to the person's figure; inputting information on the person's figure and a try-on garment; arranging the images of the respective patterns of the garment in corresponding portions of the 3D image of the object model, three-dimensionally deforming the images of the respective patterns by calculating collisional deformations when the respective patterns are pressed against the corresponding portions based on the information on the garment, and generating a stereoscopic image of the garment by connecting the deformed 3D images of the respective patterns based on the information on the garment. Moreover, Sakaguchi teaches rendering the garment animation images on the three-dimensional character images and simulating a deformation in the garment caused by the collision of the human model and the garment when the human model is moved

(column 31, lines 21 to column 33, line 38). The collision and animation of the garment with respect to the human model correspond to the draping and collision of the garment with the mannequin wherein the patterns and deformation parameters affects the draping and collision of the garment with the human model.

However, Sakaguchi does not specifically teach the claim limitation of "the shell defined around the mannequin".

In column 21, lines 35-63, Sakaguchi further discloses the pattern preparing system 40 for generating a plurality of patterns and for deforming the 3D image of the standard figure to generate an individual figure model and for generating a plurality of patterns for the garment fitted on the human model. The triangular patches form the outside surface of the standard figure model and the triangle patches form the outside surface of the individual figure model. The triangular patches define the outside surface to the figure models and therefore the triangular patches for each surface define shells of each figure model.

Clearly, Sakaguchi discloses constraining triangle patches of the garment to reside within or outside of the triangle patches of the garment defined around the mannequin in the rendering frame. Sakaguchi also discloses constraining triangle patches of the garment to reside outside of the triangle patches of the outside surface of the human model defined around the mannequin in the rendering frame.

Therefore, Sakaguchi at least suggests the claim limitation of "the shell defined around the mannequin" because Sakaguchi discloses the shape of the garment (as broken into triangle patches) as fitted into the shape of the human model (col. 25, lines 1-67; col. 30, lines 24-65)

wherein the shape of the human model are defined by the triangle patches which is the shell defined around the mannequin along the outside surface of the mannequin.

Therefore, it would have been obvious to incorporate the shell defined around or within the surface of the mannequin. Doing so would enable a precise definition of the shape and structure of the human model allowing simulation and calculation of the collisional deformations when the respective patterns are pressed against the corresponding portions based on the information on the garment (column 31, lines 21 to column 33, line 38).

Re claims 2, 35, and 43, Sakaguchi discloses the rendered image is used to form a visual image on a computer display device (col. 27, lines 25-67; column 31, lines 21-55; column 33, lines 25-38). Sakaguchi teaches rendering the garment animation images on the character images and simulating a deformation in the garment in a three-dimensional simulation scene wherein the animation involves a 3D human model wearing a garment from the external storage device and the scene is rendered frame by frame and thereby simulating the wearing style of the human model as the scene is rendered.

Re claims 3-4, 6-9, 13, 30-31, 33, and 36, Sakaguchi discloses generating rendering frames containing mannequin or garment objects as defined by selected parameter values by shape blending corresponding objects of previously generated rendering frames (column 25, lines 1-67; column 31, lines 21 to column 33, line 38). Applicant admits, on applicant's response dated June 28, 2004, that shape blending refers to a technique used to change mannequin or garment dimensions by changing the dimension parameters in a previously generated rendering frame. However, Sakaguchi discloses changing the deformation parameters (a specific

movement of the human model such as a leg or a hand gesture is moved and a selected number of parameters such as size information including height, shoulder, width, chest size associated with the selected body part is inputted via the input device to generate 3D animation images in which the human model moves in a specific manner; column 30, lines 37-65) of the garment in response to the change in dimensions of the human model and thereby simulating a corresponding frame of the animation image of the garment and thus simulating a deformation in the garment caused by the collision of the human model and the garment when the human model is moved (column 31, lines 21 to column 33, line 38).

Re claims 5, 23, 42 and 45, Sakaguchi discloses the two-dimensional images are rendered from a rendering frame using a plurality of camera positions (column 25, lines 42-67; column 26, lines 1-42; col. 27, lines 54-67). Applicant admits that the camera referred to herein is not a real camera and refers only to a viewing position for rendering the image from the three-dimensional rendering frame. However, Sakaguchi teaches digitizing a three-dimensional image so that the 2D images of the garment patterns are generated with respect to a reference line or a viewpoint position. Sakaguch further teaches photographing a 3D model in motion along time axis at suitable angles and under suitable lighting and the movements of the person in the threedimensional virtual environment can be stereoscopically viewed from a variety of angles (column 29, lines 30-36).

Re claims 10-12 and 39, Sakaguchi discloses the separate rendering frames are combined into a composite two-dimensional image using Z-coordinates of the objects (col. 32, lines 7-16; col. 30, lines 37-65). First of all, Sakaguchi discloses combining the garment animation image and the human animation image (column 30, lines 37-67 to col. 31, lines 1-10).

Sakaguchi further discloses the z coordinates in the Z buffer method for combining a plurality of patterns or frames to form a two-dimensional image (column 25, lines 42-67; column 26, lines 1-42; col. 27, lines 54-67; column 29, lines 30-36). Sakaguchi teaches comparing (z coordinates of) the lattice points of the human model and the garment to generate a two-dimensional image (col. 25, lines 1-67).

Re claims 14-15, Sakaguchi discloses a network and a processor-executable instructions (col. 27, lines 54-67).

Re claims 16, 19, 29, and 32, the limitations of claims 16, 19, 29, and 32 are analyzed as discussed with respect to claim 1 above except for generating rendering frames containing mannequin or garment objects as defined by selected parameter values by shape blending corresponding objects of previously generated rendering frames. Applicant admits, on applicant's response dated June 28, 2004, that shape blending refers to a technique used to change mannequin or garment dimensions by changing the dimension parameters in a previously generated rendering frame. However, Sakaguchi discloses changing the deformation parameters (a specific movement of the human model such as a leg or a hand gesture is moved and a selected number of parameters such as size information including height, shoulder, width, chest size associated with the selected body part is inputted via the input device to generate 3D animation images in which the human model moves in a specific manner; column 30, lines 37-65) of the garment in response to the change in dimensions of the human model and thereby simulating a corresponding frame of the animation image of the garment and thus simulating a deformation in the garment caused by the collision of the human model and the garment when the human model is moved (column 31, lines 21 to column 33, line 38).

Re claims 17-18, 20-22, 24-28, 37, and 40-41, Sakaguchi discloses a plurality of garment patterns that are connected together during the draping and collision simulation and further wherein the garment parameters including the normal lines of the surface of the garment (col. 31, lines 55-67). Referring to the claim 18 and 24, Sakaguchi further discloses wearing multiple garments from the garment animation image generator around the 3D images of the human model and defining parts of the human image model and garments so that the deformation in the garment caused by the collision of the garment and the human model is simulated (column 32, lines 8-65). Referring to the claim 20, Sakaguchi discloses that patterns for the garment images are combinable along the outside surface of the human model into the composite animated image. In column 21, lines 35-63, Sakaguchi further discloses the pattern preparing system 40 for generating a plurality of patterns and for deforming the 3D image of the standard figure to generate an individual figure model and for generating a plurality of patterns for the garment fitted on the human model. The triangular patches form the outside surface of the standard figure model and the triangle patches form the outside surface of the individual figure model. The triangular patches define the outside surface to the figure models and therefore the triangular patches for each surface define shells of each figure model. Clearly, Sakaguchi discloses constraining triangle patches of the garment to reside within or outside of the triangle patches of the garment defined around the mannequin in the rendering frame. Sakaguchi also discloses constraining triangle patches of the garment to reside outside of the triangle patches of the outside surface of the human model defined around the mannequin in the rendering frame. Referring to the claim 21, Applicant admits, on applicant's response dated June 28, 2004, that shape blending refers to a technique used to change mannequin or garment dimensions by

changing the dimension parameters in a previously generated rendering frame. However, Sakaguchi discloses changing the deformation parameters (a specific movement of the human model such as a leg or a hand gesture is moved and a selected number of parameters such as size information including height, shoulder, width, chest size associated with the selected body part is inputted via the input device to generate 3D animation images in which the human model moves in a specific manner; column 30, lines 37-65) of the garment in response to the change in dimensions of the human model and thereby simulating a corresponding frame of the animation image of the garment and thus simulating a deformation in the garment caused by the collision of the human model and the garment when the human model is moved (column 31, lines 21 to column 33, line 38). Referring to the claim 22, Sakaguchi teaches mapping the pieces of information on the shape, material, color, pattern and the like of the desired garment for this garment before the 2D images of the patterns for the special garment is rendered.

Referring to the claims 26 and 40-41, Sakaguchi discloses changing the deformation parameters (a specific movement of the human model such as a leg or a hand gesture is moved and a selected number of parameters such as size information including height, shoulder, width, chest size associated with the selected body part is inputted via the input device to generate 3D animation images in which the human model moves in a specific manner; column 30, lines 37-65) of the garment in response to the change in dimensions of the human model and thereby simulating a corresponding frame of the animation image of the garment and thus simulating a deformation in the garment caused by the collision of the human model and the garment when the human model is moved (column 31, lines 21 to column 33, line 38). Referring to the claim 27, a different version of the animated image of the human model and a different version of the

the human model as the scene is rendered.

Art Unit: 2672

animated image of the garment are rendered frame by frame wherein the image of the garment is fitted to the image of the human model in a 3D space. Referring to the claim 28, Sakaguchi discloses the rendered image is used to form a visual image on a computer display device (col. 27, lines 25-67; column 31, lines 21-55; column 33, lines 25-38). Sakaguchi teaches rendering the garment animation images on the character images and simulating a deformation in the garment in a three-dimensional simulation scene wherein the animation involves a 3D human model wearing a garment from the external storage

device and the scene is rendered frame by frame and thereby simulating the wearing style of

Re claim 34, the limitations of claim 34 are analyzed as discussed with respect to claim 1 above except for a user interface and a repository. Sakaguchi teaches the claimed limitation (col. 31, lines 20-55) when he discloses inputting the kind of the shape of the garment such as a dress or a two-piece suit and inputting the motion data from the motion data input device. As for a repository, Sakaguchi further discloses the computer system thus has a repository including the external storage device 75 or an external storage device 45 storing a plurality of garment images and the garment images generated by the garment animation image generator 7104 and rendering the animation images of human model wearing a dress or garment in walking by combining the 3D images of the human model and the stereoscopic images of the garment frame by frame by the Z buffer method successively outputs the image data to the display device 76 (col. 31, lines 20-67 and column 32, lines 1-65) wherein the images of a plurality of patterns for the stereoscopic images of the garment are 2D images (column 23, lines 60-65).

1 and 34 above.

Re claim 44, the limitations of claim 44 are analyzed as discussed with respect to claims

### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jin-Cheng Wang whose telephone number is (571) 272-7665. The examiner can normally be reached on 8:00 - 6:30 (Mon-Thu).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Razavi can be reached on (571) 272-7664. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/439,225

Art Unit: 2672

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jcw

MICHAEL RAZAVI SUPERVISORY PATENT EXAMINER

TECHNOLOGY COSCER 2800

Page 14